

**In the Claims:**

Claim 1 (canceled)

2. (previously presented) Operation device for closures comprising:

a driving device;

a closed house;

a first piston-like part and a second piston-like part, wherein the first and second piston-like parts are displaceable inside the house and are arranged at a distance from each other inside the house, and where the driving device is arranged to displace the first piston-like part inside the house and the second piston-like part being connected to an operable element;

an electric current-controlled valve is arranged in a wall of the house; and

wherein a volume formed in the closed house, between the first and the second piston-like parts, is filled with a compressive force transmitting medium.

3. (previously presented) Operating device according to claim 2, wherein the electric current-controlled valve is located in the wall of the house, between the first and second piston-like parts but outside the range and movement of the first and second piston-like parts along the wall.

4. (currently amended) Operating device according to claim 2, wherein the first and second piston-like parts are coaxially arranged in relation to each other.

5. (currently amended) Operating device according to claim 2 4, wherein the force transmitting medium consists essentially of a substantially incompressible fluid.

6. (currently amended) Operating device according to claim 2 4, wherein the second piston-like part is displaceable against the effect of a spring device arranged in the house.

7. (previously presented) Operating device according to claim 6, wherein the spring device is a screw spring.

8. (currently amended) Operating device according to claim 2 4, wherein the driving device is an electric motor comprising a drive shaft that is drivingly connected to the first piston-like part.

9. (currently amended) Operating device according to claim 2 4, wherein the driving device is arranged to drive the first piston-like part in two opposite directions.

10. (currently amended) Operating device according to claim 2 4, wherein the second piston-like part is connected to the movable closure, which is to be operated, via a transmission.

11. (previously presented) Operating device according to claim 10, wherein the transmission gives the movable closure a linear motion.

12. (previously presented) Operating device according to claim 10, wherein the transmission gives the movable closure a rotary motion.

13. (currently amended) Operating device according to claim 2, wherein the movable closure is a door.

14. (previously presented) Operating device according to claim 2, wherein the operable device is connected to a movable closure that moves in response to movement of the second piston-like part.

15. (previously presented) Operating device according to claim 14, wherein the movable closure is a door.

Claim 16 (canceled)

17. (previously presented) Operating device according to claim 2, wherein the operable device comprises:

a rack connected to the second piston-like part; and  
a gear wheel that rotatably engages the rack.